

Bleed-Thru™

Marks Bleed Through Oil/Solvent Based Paints & Primers

FEATURES

- General purpose, fast drying, ink marker that writes on almost any surface.
- Ideal to use for fabricating structural steel or layout work where markers are required to bleed through a primer coat covering the marks.
- Marks bleed through when painted over with oil/solvent based paints and primers.
- Makes permanent marks on plastic, metal, glass, ceramics and most other non-porous surfaces.
- Markers can be used to permanently identify inventory, assemblies, machines, finished products or work in progress while resisting most work related abuses or compounds.
- Valve action mechanism prevents paint in barrel from drying when the cap is left off.
- Heavy duty aluminum body with large ink capacity.
- Bullet tips are replaceable to assure complete use of ink in each marker.
- Replaceable chisel tips are available.

MATERIALS COMPATIBILITY

- Safe on most surfaces.
- Removable with Dykem® Remover & Cleaner.
- Surface tests should be run to determine compatibility prior to use.

AVAILABLE IN:

44541 – Bleed-Thru Black

HEALTH AND SAFETY

- Flammable liquid and vapor. Keep away from heat, sparks and flame. Use only with adequate ventilation. Avoid contact with skin and eyes.
- Refer to MSDS (Material Safety Data Sheet) for complete information on health and safety. Visit our website at www.dykem.com to obtain MSDS.

PHYSICAL PROPERTIES

Appearance:	Black
Odor:	Aromatic
Specific gravity:	<1
VOC level:	72 % by weight
Flash point:	79°F
Dry Time*:	25 - 30 seconds

* Note: Drying time may vary depending on film thickness.

DIRECTIONS FOR USE

- Depress tip to start flow
- Replace cap when not in use